

## NIN

NATIONAL INSTITUTE OF NUTRITION

आई सी एम आर - राष्ट्रीय पोषण संस्थान स्वास्थ्य अनुसंधान विभाग, स्वास्थ्य और परिवार कल्याण मंत्रालय, भारत सरकार

ICMR – National Institute of Nutrition Department of Health Research, Ministry of Health and Family Welfare, Government of India

No.NIN/Maint/Q16/2021-22/85

Date: 12.10.2021

## **TENDER NOTICE**

The Director, ICMR-National Institute of Nutrition, Tarnaka, Hyderabad invites sealed tenders by <u>27.10.2021</u> at 5.00 PM from reputed, experienced contractors/agencies with established experience and financial solvency to carry out the "<u>Providing washroom at Ground floor of Dr.V.N. Patwardhan Hostel Building"</u>. The details of the work are as follows: -

S. No	Description	Unit	Qty	Rate	Amount in Rs.
1.	Demolishing cement concrete manually/ by mechanical means including disposal of material within 50 metres lead as per direction of Engineer - in - charge. Nominal concrete 1:3:6 or richer mix (i/c equivalent design mix)	Cum	0.50	ess to clumer), o black or general comments or	
2.	Brick work with common burnt clay modular bricks of class designation 7.5 in foundation and plinth in:  Cement Mortar 1:6 (1 cement: 6 coarse	Cum	4.00	nemo, om per regigi fracties reberts of	C.E. (G) etimer intolore
3	Providing and laying in position machine batched and machine mixed design mix M-25 grade cement concrete for reinforced cement concrete work, using cement content as per approved design mix, including pumping of concrete to site of laying but excluding the cost of centering, shuttering, finishing and reinforcement, including admixtures in recommended proportions as per IS: 9103 to accelerate, retard setting of concrete, improve workability without impairing strength and durability as per direction of Engineer-in-charge	Cum	2.00	t pixen to the control of the contro	
	All works above plinth level upto floor V level	dime enikso	- 3e1 - 1		metric 01

4	Charles in f				
	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete above plinth level.  Thermo-Mechanically Treated bars of grade Fe-500D or more.	Kg	100.00	CIONI MAN COUNCIL MORAN	
5.	Centering and shuttering including strutting, propping etc. and removal of form for:  Foundations, footings, bases of columns,	Sqm	5.00	0.8 r O Vrole	Мо.МИИЛ
	etc. for mass concrete				
6.	18 mm cement plaster in two coats under layer 12 mm thick cement plaster 1:5 (1 cement : 5 coarse sand) and a top layer 6 mm thick cement plaster 1:3 (1 cement : 3 coarse sand) finished rough with sponge.	Sqm	35.00	27.10.202 27.10.202 expendence or of DaV	tenders by Serviced Serviced Bound B
7	Providing and fixing 1st quality ceramic glazed wall tiles conforming to IS: 15622 (thickness to be specified by the manufacturer), of approved make, in all colours, shades except burgundy, bottle green, black of any size as approved by Engineer-in-Charge, in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse sand) and jointing with grey cement slurry @ 3.3kg per sqm, including pointing in white cement mixed with pigment of matching shade complete.	Sqm	15.00	chang cer chanical c chal with change of concret ent descap to bruid with the and p	No Demoi Sy ma of mai sy mai s
8	Providing and laying vitrified floor tiles in different sizes (thickness to be specified by the manufacturer) with water absorption less than 0.08% and conforming to IS: 15622, of approved make, in all colours and shades, laid on 20mm thick cement mortar 1:4 (1 cement: 4 coarse sand), jointing with grey cement slurry @ 3.3 kg/ sqm including grouting the joints with white cement and matching pigments etc., complete	sqm	5.00	and land may grade some content some portion program program and program some content or	bivorsi sitored E 25 44 notries marries m sitos vei to melsioo
9	Size of Tile 600x600 mm  Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface: 13.43.1  Water thinnable cement primer	Sqm	25.00	ilerate. In process n and dur or in-char	io acc un,uov streng Engine
10	Distempering with 1st quality acrylic distemper (ready mixed) having VOC content less than 50 gms/litre, of approved manufacturer, of required shade and	Sqm	25.00		lavsi .

	colour complete, as per manufacturer's				
	specification.		G D WAI		CHVCHT III
•	Two or more coats on new work		200 0 101	Ending Linear	3-8100
11	Providing and applying white cement-			- Mone	
	based putty of average thickness 1 mm, of		1	am00 havo	g DV9   81
	approved brand and manufacturer, over	Sqm	25.00	100001	tigna.F
	the plastered wall surface to prepare the	Sqiii	25.00	ng the low	Sword Et
	surface even and smooth complete.		noted fixture	spotti or	dmula
12	Providing and fixing Chlorinated Dalariant				
12	Providing and fixing Chlorinated Polyvinyl				Ingili
	Chloride (CPVC) pipes, having thermal				
	stability for hot & cold-water supply				Geyse
	including all CPVC plain & brass threaded				
	fittings This includes jointing of pipes &			it fan	Extrau
	fittings with one step CPVC solvent	Mtr	10.00		
	cement, trenching, refilling & testing of			egar	Towel
	joints complete as per direction of				
	Engineer in Charge.				10miM
	20 mm nominal outer dia Pipes			facel	Health
13	Providing and fixing white vitreous china	on Mr	The med	T long m	humQ
	pedestal type water closet (European	te best			ameri
	type) with seat and lid, 10 litre low level				tunion
	white vitreous china flushing cistern & C.P.				ID GTOO
	flush bend with fittings & C.I. brackets, 40			QEST TEXT	TI ISVV
	mm flush bend, overflow arrangement with				
	specials of standard make and mosquito			get end	ni owii i
	proof coupling of approved municipal	No	01		
	design complete, including painting of		01		
	fittings and brackets, cutting and making				
	good the walls and floors wherever	THE PARTY			
	required:				
4.1	104411041	sique s	ic pluone	15/30 000	188 8011 7
	W.C. pan with ISI marked white solid	MAT 1819	90.060	BWILE N	V.30110
	plastic seat and lid	d natib	one and the	utinistast	0 valeNV 0
14		***			
17	Providing and fixing PTMT 3 wiveling shower, 15 mm nominal bore, weighing	NI-	04	odz maisi	3 The qua
	not less than 40 gms	No	01	nderskul-l	Nething
15					
10	Providing and fixing wash basin with C.I.	14vna	releas re	nodestuni	d The offer
	brackets, 15 mm dia CP Brass single hole	THE PERSON NAMED IN	Tribel Inc.	ECHE AF	T profess T
an negative	basin mixer of approved quality and make,			1 2 5 4 5 6 1	A 010100
I DER	including painting of fittings and brackets,	master's	BUALDUR	nonesous	Pario au I
	cutting and making good the walls	No	02	nol tridizm	not resoc
	wherever required: -	,,,	02		
in the	grandus engled ells on hav of tur-	1100 80	I to ville	Haundson	out sill g
ST ENG	(a) White Vitreous China Wash basin size	Teopic	emi doide	etten, nerte	pholiphano
DE 30	550x400 mm with a 15 mm CP Brass	17 10 FW	DOMESTIC DE	SAED GUIS	aw its no
	single hole basin mixer				1/4
16	Providing and fixing of C.P. brass toilet	No	01	is hissifa	
	paper holder of standard size			THE RESERVE TO SERVE	The second secon

Total				
Two in one tap	No	01	oneta to a	Blacks
Wall mixer tap	No	01	r diw bas	d neuft
Providing and fixing of PVC door with frame as required size and approved colour	No	01	or ens on a say to a tase of	acheq (oqvi
Health facet	No	01	o Isnimon	im 0s
Mirror	No	01	erio mae	Miana .
Towel rings	No	01	Magnett !	rémes
Exhaust fan	No	01	dominanti	epane
Geyser	No	01		filioera Accusal
Light	No	01	ng and for	Sivorial XI
Providing the following electrical and plumbing fittings and fixture	pare et	SOLTUR	ow benefa	dc off
18 PVC pipes100mm Length 10feet	No	02	ve to vitue	based
45 cm length	No	03	aco elem	0 0WT
Providing and fixing plasticized PVC connection pipe with brass unions	STURSE	00	Sidegraes	No.

## Terms and conditions

- 1. The sealed cover should be super- scribed <u>"Providing washroom at Ground floor of Dr.V.N. Patwardhan Hostel Building"</u> with last date.
- 2. Water & Electricity will be provided by ICMR-NIN, Hyderabad to the contractor.
- 3. The quotation should be addressed to "The Director, ICMR-National Institute of Nutrition, Hyderabad".
- 4. The offer/quotation in sealed cover should reach the undersigned by <u>5.00 PM</u> on or before <u>27.10.2021</u> and hand over in the Dispatch Section/ Maintenance Department. The offer/quotation received thereafter will not be considered. ICMR-NIN, Hyderabad is not responsible for any postal delays.
- 5. It is the responsibility of the contractor to visit the site before submitting their offer/quotation, for which the bidder may contact I/c Maintenance at 040-27197226/312 on all working days i.e. Monday to Friday except public holidays from 09.00 AM to 05.30 PM.
- 6. Quotation should submit in contractor letter head and sign in each page.

- 7. Certificate of Registration for Goods and Services Tax (GST).
- 8. Percentage of tax (GST) and amount should be mentioned separately in the quotation.
- 9. Discount offered, if any, may be indicated as a percentage of the order value only.
- 10. The work shall be completed within 30 days from the date of award of the work
- 11. The TDS will be recovered as per rules
- 12. The labour engaged and working equipment brought by the contractor for the work shall be recorded in the ICMR-NIN Security Gate before entering into the premises and obtain necessary gate pass.
- 13. Payment will be made against the bill along with a statement of measurement taken in the presence of the contractor and the civil engineer of ICMR-NIN, Hyderabad.
- 14. The contractor/bidder should indicate their Registration Number, PAN, GST, Bank Account number for making payments to the contractor as well as statutory authorities.
- 15. Quotation by email or fax will not be accepted.
- 16. The ICMR-NIN, Hyderabad is not responsible for any damage caused to the labour/manpower engaged by the contractor for execution of the work.
- 17. Bills submitted by the contractor will be settled after certification by the Civil Engineer of NIN with regard to its quality. Any defect in the work has to be rectified free of cost by the contractor within six months from the date of completion of the work.
- 18. ICMR-NIN, Hyderabad is not responsible for payment of wages to the manpower engaged by the contractor and statutory dues for the work at ICMR-NIN.
- 19. Director, ICMR-NIN, Hyderabad has the right to accept or reject any quotation(s) without assigning any reasons
- 20. Director, ICMR-NIN, Hyderabad reserves the right to increase/decrease the quantity of work.

Co-Convenor (Maintenance & Security)

For Director