

NIN

NATIONAL INSTITUTE OF NUTRITION

आई सी एम आर - राष्ट्रीय पोषण संस्थान स्वास्थ्य अनुसंधान विभाग, स्वास्थ्य और परिवार कल्याण मंत्रालय, भारत सरकार

ICMR – National Institute of Nutrition Department of Health Research, Ministry of Health and Family Welfare, Government of India

No.NIN/Maint/Q12/2020 88

Date: 12.03.2020

TENDER NOTICE

The Director, ICMR-National Institute of Nutrition, Tarnaka, Hyderabad invites sealed tenders till <u>23.03.2020</u> at 03.00 PM from reputed, experienced contractors/agencies with established experience and financial solvency to carry out the <u>Renovation of Computer Centre at NIN-ICMR</u>. The details of the work are as follows:- The Approximate estimated cost of the following work is <u>Rs.3,00,492/-</u> (Rupees Three lakhs four hundred and ninety two only)

S. No	Description	Qty	Rate	Estimate d cost in Rs.
1	Providing and fixing Aluminium work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminium sections shall be smooth, rust free, straight, mitred and jointed mechanically wherever required including cleat angle, Aluminium snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately): Powder coated aluminium (minimum thickness of powder coating 50 micron).	kgs		No.
a.	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in panelling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on both sides	12 sqm		
b.	Removing of existing partition with doors including disposal			
2	Removing of Existing wooden board old false ceiling			
3	Providing and Fixing 15 mm thick densified tegular edged eco friendly light weight calcium silicate false ceiling tiles of approved texture of size 595 x 595 mm in true horizontal level, suspended on inter locking metal grid of hot dipped galvanised steel sections (galvanising @ 120 grams per sqm	56.71 sq.m		

	including both side) consisting of main 'T' runner suitably spaced at joints to get required length and of size 24x38 mm made from 0.33 mm thick (minimum) sheet, spaced 1200 mm centre to centre, and cross "T" of size 24x28 mm made out of 0.33 mm (Minimum) sheet, 1200 mm long spaced between main'T' at 600 mm centre to centre to form a grid of 1200x600 mm and secondary cross 'T' of length 600 mm and size 24 x28 mm made of 0.33 mm thick (Minimum) sheet to be inter locked at middle of the 1200x 600 mm panel to from grid of size 600x600 mm, resting on periphery walls /partitions on a Perimeter wall angle precoated steel of size(24x24X3000 mm made of 0.40 mm thick (minimum) sheet with the help of rawl plugs at 450 mm centre to centre with 25 mm long dry wall screws @ 230 mm interval and laying 15 mm thick densified edges calicum silicate ceiling tiles of approved texture in the grid, including, cutting/ making opening for services like diffusers, grills, light fittings, fixtures, smoke detectors etc., wherever required. Main 'T' runners to be suspended from ceiling using G.I. slotted cleats of size 25x35x1.6 mm fixed to ceiling with 12.5 mm dia and 50 mm long dash fasteners, 4 mm G.I. adjustable rods with galvanised steel level clips of size 85 x 30 x 0.8 mm, spaced at 1200 mm centre to centre along main 'T', bottom exposed with 24 mm of all Tsections shall be pre-painted with polyster baked paint, for all heights, as per specifications, drawings and as directed by Engineer-in-Charge		
4	Providing and laying Vitrified tiles in different sizes (thickness to be specified by the manufacturer), with water absorption less than 0.08% and conforming to IS: 15622, of approved brand & manufacturer, in all colours and shade, in skirting, riser of steps, laid with cement based high polymer modified quick set tile adhesive (water based) conforming to IS: 15477, in average 6 mm thickness, including grouting of joints (Payment for grouting of joints to be made separately). Size of Tile 600x600 mm	77.26 sq.m	
5	Finishing walls with Acrylic Smooth exterior paint of required shade: New work (Two or more coat applied @ 1.67 ltr/10 sqm over and including priming coat of exterior primer applied @ 2.20 kg/10 sqm)	89.52 sq.m	
6.	Opening the door vent on the wall between BMIC and computer centre		
7.	Installing the New Door on the wall between BMIC and computer centre		

Terms and conditions

- 1. The sealed cover should be super-scribed <u>"Renovation of Computer Centre at NIN-ICMR".</u>
- 2. Water will be provided by NIN, Hyderabad to the contractor.

- 3. The quotation should be addressed to "The Director, National Institute of Nutrition, Hyderabad".
- 4. The offer/quotation in sealed cover should reach the undersigned by 3.00 PM on or before 23.03.2020 along with EMD Rs.15,000/- as Demand draft/Bank cheque/ Pay order of schedule bank and drawn in favour of Director NIN, Hyderabad) in Quotation Drop box at Maintenance Department. The offer/quotation received thereafter will not be considered. NIN, Hyderabad is not responsible for any postal delays. The sealed tenders will be opened on 23.03.2020 at 3.30 PM in the office of Civil Engineer, NIN, Hyderabad.
- It is the responsibility of the contractor to visit the site before submitting their offer/quotation, for which the bidder may contact Technical Officer (C) at 040-27197226/312 on all working days i.e. Monday to Friday except public holidays from 09.00 AM to 05.30 PM.
- Director, NIN, Hyderabad has the right to accept or reject any quotation(s) without assigning any reasons.
- 7. The work shall be completed within 30 days from the date of award of the work.
- The labour engaged and working equipment brought by the contractor for the work shall be recorded in the NIN Security Gate before entering into the premises and obtain necessary gate pass.
- Payment will be made against the bill along with a statement of measurement taken in the presence of the contractor and the civil engineer of NIN, Hyderabad.
- 10. The contractor/bidder should indicate their Registration Number, PAN, GST, Bank Account number for making payments to the contractor as well as statutory authorities.
- 11. Quotation by email or fax will not be accepted.
- 12. The NIN, Hyderabad is not responsible for any damage caused to the labour/manpower engaged by the contractor for execution of the work.
- Bills submitted by the contractor will be settled after certification by the Civil Engineer of NIN with regard to its quality. Any defect in the work has to be rectified free of cost by the contractor within six months from the date of completion of the work.
- 14. NIN, Hyderabad is not responsible for payment of wages to the manpower engaged by the contractor and statutory dues for the work at NIN.

15. Director, NIN, Hyderabad reserves the right to increase/decrease the quantity of work.

Technical Officer-C

Maintenance Department
For Director

To

- 1. Convener, to upload the same in NIN's website NIN Website Management Committee
- 2. The Director, Centre for Cellular and Molecular Biology Uppal Road, Habsiguda, Hyderabad, Telangana 500007.
- 3. The Director, Indian Institute of Chemical Technology, Uppal Road, IICT Colony, Tarnaka, Hyderabad, Telangana 500007
- 4. The Director, National Geophysical Research Institute, Uppal Road, Habsiguda, Hyderabad, Telangana 500007
- 5. The Chief Administrative Officer, Nuclear Fuel Complex, ECIL, Moula-ali, Hyderabad, Telangana 500062
- 6. The Chief Administrative Officer, Rail Nilayam, SD Road, East Marredpally, Secunderabad, Telangana 500071.